

PRODUCT DATA SHEET

Spencer KINETIX

DESCRIPTION

KINETIX is a powered stretcher designed to streamline ambulance loading, supporting weights of up to 300 kg effortlessly. Featuring an intuitive control panel, operators can seamlessly adjust the stretcher's height, manage lifting and lowering movements with precision, and enhance visibility with LED lights. Foldable and adjustable side rails expand the stretcher's platform, facilitating the transportation of bariatric patients. With a customizable frame length, telescopic handles, and swivel castors equipped with directional locks, KINETIX ensures superior maneuverability even in tight spaces.

PROTECTING YOUR BACK

The KINETIX powered lifting system allows operators to lift, lower and load up to 300 kg in the ambulance at the push of a button - thus avoiding any physical exertion.

ENERGY EFFICIENCY

The KINETIX is energy efficient as it is powered by 2 x 24 V lithium batteries that charge in succession to minimise consumption, offer increased performance and drastically reduce the risk of breakdowns.

VERSATILE AND BARIATRIC


There is no need to carry bariatric accessories or require bariatric stretchers to transport patients with a more robust build. In these cases, with KINETIX, simply rotate the two side rails sideways to increase the surface area of the platform. With a load limit of 300 kg, KINETIX is also designed to transport bariatric patients.

MOBILE AND SHORTENING

KINETIX is equipped with 4 swivel castors with front brakes to facilitate changes of direction and avoid obstacles along the way. The overall length of the stretcher can be shortened by lifting the backrest and retracting the telescopic handles: this is particularly useful when transporting the stretcher in confined spaces such as lifts.




Enhancing Emergency Care with Cutting-Edge Technology



Powered Rail Platform

RAIL included with KINETIX stretcher.

RAIL has been specially designed for the KINETIX electric stretcher and incorporates a 10G fixation system. It can move sideways and has a compartment for a spine board or spoon stretcher.



Accessories Included with KINETIX and RAIL

The KINETIX is delivered complete with a heat-sealed mattress, extendable headrest, restraint straps, stretcher rail and document pocket.



Ergonomic headrest



Heat-sealed mattress



Adjustable IV pole



Restraint belts

KINETIX 10 G Powered Stretcher

CODE	KN00001
LENGTH	200 cm
MIN. LENGTH (WHEN FITTED)	162,5 cm
WIDTH	59 cm
WIDTH (BARIATRIC CONFIGURATION)	90 cm
HEIGHT MIN./MAX.	42 / 130 cm
WEIGHT	88 kg*
BACKREST INCLINATION ANGLE	75°
TRENDELENBURG INCLINATION ANGLE	30°
FOWLER INCLINATION ANGLE	17°
WHEEL SIZE	Ø 16 x 4 cm
MATTRESS DIMENSIONS	190 x 46 cm
MAX. LOADING HEIGHT	92 cm
LOAD CAPACITY	300 kg
BATTERY TYPE	2 x 24 V Lithium
RECHARGE TIME	120 min
OPERATING TEMPERATURE	-20°C / +40°C

*Accessories not included.

RAIL KINETIX Stretcher Platform

CODE	KN00002*
LENGTH	204 cm
WIDTH	60 cm
WEIGHT	140 kg
LOAD CAPACITY	300 kg
SIDE MOVEMENT	30 cm
FRONTAL MOVEMENT	164 cm
OPERATING TEMPERATURE	-20°C / +40°C

*Version without spine board compartment also available (code: KN00003)